

## **Summary of Changes to WSR 04-12-117**

### **Transient Accommodations Rule, Chapter 246-360 WAC**

- WAC 246-360-040(1): Strike “and” and replace with “or” following “chapters 246-290” and before “246-291”. This makes it clear that a licensee may operate a Group A system or a Group B system, but not both.
- WAC 246-360-040(2): Strike the words “system providing portable water to” following “that the” and before “plumbing inside”; add the words “provides potable water that” following “following “transient accommodation” and before “is free”. This change is necessary that the subsection refers to interior plumbing and not the water supply system that delivers water to the facility.
- WAC 246-360-080(3): Strike “ and” between “cleanable and, sanitary”. The “and” is superfluous since it does not precede the last item in the series.
- WAC 246-360-220(1)(b): Move “at more frequent intervals when circumstances require,” currently located at the end of the second sentence, to the end of the first sentence, so it reads: “Fire extinguishers are inspected when initially placed in service and at approximately thirty-day intervals, or at more frequent intervals when circumstances require. Fire extinguishers must be inspected manually or by electronic monitoring.” This change is recommended for clarity.
- WAC 246-360-220(1)(e): Strike “ensuring they” following “including storage,” and before “are not placed”. This is a grammatical fix. Ensure appears in the antecedent, WAC 246-360-220(1).
- WAC 246-360-220(6): Strike “, which” following “Space heaters” and before “are prohibited”. The syntax would be incorrect and the meaning unclear without this change.
- WAC 246-360-050: Strike “must ensure” and replace with “must provide documentation that demonstrates that” following “The licensee” and before “sewage and liquid”. The proposed change is to clarify that documentation is required.
- WAC 246-360-110(1)(e)(i): Strike “maintains” and replace with “is capable of maintaining” following “refrigeration device that” and before “food at a temperature”; the phrase “temperature of 45 degrees” should be changed to read “temperature of 41 degrees”; and the phrase “or as specified in chapter 246-215 WAC” should be inserted following the words “or lower”. These changes are necessary to be consistent with the likely revisions to chapter 246-215 WAC, Food Service.